

# Slimtech Artesia



**PRODUCT TYPE:** Colour-bodied porcelain


**COLOURS:** Pearl, Argent, Ash and Black

**PORCELAIN SLAB SIZES** 500x1000x5.5mm, 1000x1000x5.5mm and 1000x3000x5.5mm

**SLAB FINISHES/USAGE:** Natural/Wall and Floor

**AESTHETIC QUALITIES:** Slate look, soft texture

**VARIATION:**



V3

SLIMTECH ARTESIA realistically and physically represents slate, an ancient and natural stone. Beautifully textured with all the irregularities and variations in colour, SLIMTECH ARTESIA is available in four classical colours and three large format sizes.


# Slimtech Artesia

## TECHNICAL QUALITIES

Slim porcelain slabs allowing endless custom design opportunities such as joinery cladding, internal and external facades.




Resistant to stain/  
chemical agents



Slab only 5.5mm thick



Record dimensions,  
up to 1200x2400mm




New eco-friendly technology



To easily renovate floors and walls



indoor floors/walls



glued and ventilated  
exterior facades



bathroom/kitchen  
shelves



interior furnishings




# Slimtech Artesia

## PRODUCT SPECIFICATIONS - PORCELAIN SLABS

SIZES	FINISHES	SLIP RATING	TILE EDGE
1000x3000mmx5.5mm	NATURAL	-	RECTIFIED
1000x1000mmx5.5mm*	NATURAL	-	RECTIFIED
500x1000x5.5mm*	NATURAL	-	RECTIFIED

\* Indent item - Subject to stock availability overseas, please allow 8-10 weeks lead time from date of order confirmation. Minimum quantity may apply.


## FORMATS



PEARL NATURAL



ARGENT NATURAL



ASH NATURAL



BLACK NATURAL

# Slimtech Artesia








# Slimtech Artesia



# Slimtech Artesia

## TECHNICAL CHARACTERISTICS - SLIMTECH SLABS

	technical characteristics	test method	required values	value
	water absorption	iso 10545-30	≤ 0.5%	0.01%
	modulus of rupture	iso 10545-4	≥ 35 N/mm <sup>2</sup>	50 N/mm <sup>2</sup>
	abrasion resistance	iso 10545-6	≤ 175 mm <sup>3</sup>	Conforms
	chemical resistance	iso 10545-13	As indicated by manufacturer	Resistant
	stain resistance	iso 10545-14	As indicated by manufacturer	Resistant