

Pietra

Porcelain Slabs



PRODUCT TYPE: 12mm porcelain slabs

COLOURS: Carrara, Dijon and Navona Veincut

SIZES: 1620x3240x12mm
Rectified edges

FINISHES/USAGE: Matt and Honed

AESTHETIC QUALITIES: Natural stone look slabs

TECHNICAL DATA: More information on last page

ORIGIN: Italy

CERTIFICATIONS:



Pietra is the dynamic new range of porcelain sintered stone slabs. Featuring three different stone look products, they add a beautiful natural look with easy maintenance. The matt finishes feature a Real Matt technology, guaranteeing maximum softness while removing all reflection and levels of gloss. These porcelain products render the appearance of their natural counterparts with absolute realism.


Pietra

Porcelain Slabs

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
1630x3240x12mm	HONED	-	RECTIFIED

FORMATS



1630x3240x12mm



CARRARA

Pietra


Porcelain Slabs

PRODUCT SPECIFICATIONS

SIZES	FINISHES	SLIP RATING	TILE EDGE
1630x3240x12mm	REAL MATT* -	-	RECTIFIED

*Real Matt technology guarantees maximum softness while removing all reflection and levels of gloss. These porcelain products render the appearance of their natural counterparts with absolute realism.

FORMATS



1630x3240x12mm



DIJON



NAVONA VEINCUT

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

CARRARA

Pietra
Porcelain Slabs



NAVONA VEINCUT

Pietra
Porcelain Slabs











DIJON

Pietra
Porcelain Slabs



TECHNICAL DATA

	technical characteristics	test method	required values	result
	water absorption	ISO 10545-3	≤0.5%	≤0.1% porcelain
	bending strength	ISO 10545-4	≥35	≥45 N/mm ² porcelain
	thermal shock resistance	ISO 10545-9	Pass	Pass
	abrasion resistance	ISO 10545-7	PEI 3	PEI 3
	deep abrasion resistance	ISO 10545-6	<175mm ³	<175mm ³
	chemical resistance	ISO 10545-13	GA	GA
	stain resistance	ISO 10545-14	Class 3-5	Class 3-5
	resistance to frost	ISO 10545-12	resistant	resistant

CERTIFICATIONS



EPD - Environmental Product Declaration
 Voluntary certification that highlights a product/process/service's environmental performance and commitment to sustainability.



EMAS - Eco-Management and Audit Scheme
 Open voluntarily to any company wishing to commit assessing and improving their environmental efficiency. Developing its own environmental management system (EMS) based on standard ISO standard 14001:2004 and must issue a public environmental declaration.